


District of Columbia Health Security Profile


The National Health Security Preparedness Index tracks state and national progress in preparing for disasters, disease outbreaks, and other emergencies that pose risks to health and well-being. The Index measures changes in national and state health security capabilities over time, across a broad array of domains and sectors. The 2021 release of the Index is based on 130 measures organized into the six domains and 19 subdomains listed on page 3. The 2021 release includes annual results for seven years (2013-2020). Pages 4 to 11 display data for all measures included in the Index and the chart below shows health security trends from 2013-2020 overall, and across all domains.


District of Columbia Health Security Trends (2013-2020)





National Health Security Trends (2013-2020)







District of Columbia Domain and Subdomain Summary

| NAFACLIDE | 2020 Value | % Change since 2019 | % Change |
|--|---------------|---------------------|----------|
| MEASURE | | | |
| OVERALL INDEX VALUE* | 7.4 | 1.4% | 12.1% |
| DOMAIN 1: HEALTH SECURITY SURVEILLANCE | 8.4 | 0.0% | 15.1% |
| Subdomain 1.1: Health Surveillance & Epidemiological Investigation | 8.5 | 0.0% | 49.1% |
| Subdomain 1.2: Biological Monitoring & Laboratory Testing | 7.5 | 1.4% | 4.2% |
| DOMAIN 2: COMMUNITY PLANNING & ENGAGEMENT COORDINATION | 7.6 | 2.7% | 22.6% |
| Subdomain 2.1: Cross-Sector / Community Collaboration | 10.0 | 0.0% | 88.7% |
| Subdomain 2.2: Children & Other At-Risk Populations | 7.8 | -2.5% | -1.3% |
| Subdomain 2.3: Management of Volunteers during Emergencies | 3.8 | 0.0% | -36.7% |
| Subdomain 2.4: Social Capital & Cohesion | 5.3 | 32.5% | 17.8% |
| DOMAIN 3: INCIDENT & INFORMATION MANAGEMENT | 7.9 | 0.0% | -2.5% |
| Subdomain 3.1: Incident Management & Multi-Agency Coordination | 5.1 | 0.0% | -32.9% |
| Subdomain 3.2: Information Management | 5.8 | 1.8% | 75.8% |
| DOMAIN 4: HEALTH CARE DELIVERY | 5.8 | -1.7% | 11.5% |
| Subdomain 4.1: Prehospital Care | 6.2 | -4.6% | 24.0% |
| Subdomain 4.2: Hospital and Physician Services | 6.3 | -4.5% | 12.5% |
| Subdomain 4.3: Long-Term Care | 4.8 | -9.4% | 29.7% |
| Subdomain 4.4: Mental & Behavioral Healthcare | 4.8 | 0.0% | -23.8% |
| Subdomain 4.5: Home Care | 6.2 | 19.2% | 82.4% |
| DOMAIN 5: COUNTERMEASURE MANAGEMENT | 7.3 | 0.0% | 7.4% |
| Subdomain 5.1: Medical Materiel Management, Distribution, & Dispensing | 7.0 | -7.9% | 1.4% |
| Subdomain 5.2: Countermeasure Utilization & Effectiveness | 6.6 | 17.9% | 26.9% |
| DOMAIN 6: ENVIRONMENTAL & OCCUPATIONAL HEALTH | 6.9 | 1.5% | 13.1% |
| Subdomain 6.1: Food & Water Security | 6.0 | 0.0% | -1.6% |
| Subdomain 6.2: Environmental Monitoring | 5.6 | 1.8% | -26.3% |
| Subdomain 6.3: Physical Environment and Infrastructure | 7.5 | 1.4% | 102.7% |
| Subdomain 6.4: Workforce Resiliency | 7.8 | 4.0% | 62.5% |

OVERALL

District of Columbia's overall health security level reached 7.4 out of 10 in 2020, a 12.1% increase from 2013.

The overall health security level in District of Columbia was significantly above the national average health security level of 6.8 in 2020.

STRENGTHS

District of Columbia's largest improvement occurred in the Community Planning & Engagement Coordination domain, which increased by 22.6% between 2013-20.

Health security levels in 2020 significantly exceeded the national average in 3 domains: Community Planning & Engagement Coordination, Health Care Delivery, and Countermeasure Management.

The state's highest health security level in 2020 occurred in the domain of Health Security Surveillance with a value of 8.4.

CHALLENGES

Health security levels in 2020 declined in one domain: a decline of -2.5% occurring in Incident & Information Management.

Health security levels in 2020 were significantly below the national average in one domain: Incident & Information Management.

The state's lowest health security level in 2020 occurred in Health Care Delivery with a value of 5.8.

Above National Average

*For an overview of the Index, methodology, and measure details, go to:

https://nhspi.org

Meets National Average
Below National Average

Acknowledgements: Support for the National Health Security Preparedness Index is provided by the Robert Wood Johnson Foundation. The views expressed here do not necessarily reflect the views of the Foundation.

The Index Program Office is based at the Colorado School of Public Health. For more information, contact: glen.mays@cuanschutz.edu



| | Above National Average | | Meets National Average | | Below National Average |
|--|------------------------|--|------------------------|--|------------------------|
|--|------------------------|--|------------------------|--|------------------------|

| | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 |
|--|--------|--------|--------|--------|--------|--------|--------|--------|
| OVERALL INDEX VALUE (0-10) | 6.6 | 6.9 | 6.8 | 7.0 | 7.0 | 7.4 | 7.3 | 7.4 |
| | | | | | | | | |
| Domain 1: Health Security Surveillance | 7.3 | 7.3 | 7.1 | 7.8 | 8.0 | 8.7 | 8.4 | 8.4 |
| Subdomain 1.1: Health Surveillance & Epidemiological Investigation | 5.7 | 5.7 | 5.7 | 7.2 | 7.2 | 8.5 | 8.5 | 8.5 |
| M18 – Number of Epidemiologists per 100,000 population in the state, by quintile (1=Lowest Quintile, 5=Highest Quintile) (Min=1, Max=5) | 5.0 | | | 5.0 | 5.0 | 5.0 | 5.0 | 5.0 |
| M22 – State health department has an electronic syndromic surveillance system that can report and exchange information | Yes |
| M217 – State public health laboratory has implemented the laboratory information management system (LIMS) to receive and report laboratory information electronically | No | No | No | Yes | Yes | Yes | Yes | Yes |
| M220 – State has legal requirement for nongovernmental laboratories to send specimens associated with reportable foodborne diseases to the state public health laboratory | Yes | Yes | Yes | No | No | No | No | No |
| M23 – Percent of foodborne illness outbreaks reported to CDC by state and local public health departments for which a causative infectious agent is confirmed (Min=0, Max=100) | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| M290 – State has a public health veterinarian | No | No | No | No | No | Yes | Yes | Yes |
| M265 – State uses an Electronic Death Registration System | | | | Yes | Yes | Yes | Yes | Yes |
| Subdomain 1.2: Biological Monitoring & Laboratory Testing | 7.2 | 7.3 | 6.9 | 7.2 | 7.6 | 8.2 | 7.4 | 7.5 |
| M1314 – State public health chemical OR radiological terrorism/threat laboratory is accredited or certified | Yes | Yes | Yes | Yes | No | Yes | Yes | Yes |
| M208 – State public health laboratory has a permit for the importation and transportation of materials, organisms, and vectors controlled by USDA Animal and Plant Health Inspection Service | Yes |
| M8 – State public health laboratory has a plan for a 6-8 week surge in testing capacity to respond to an emergency | Yes |
| M9 – State public health laboratory has a continuity of operations plan consistent with national incident management guidelines | Yes | Yes | No | No | Yes | Yes | Yes | Yes |
| M11 – State public health laboratory has a plan to receive specimens from sentinel clinical laboratories during nonbusiness hours | No | Yes |
| M12 – State public health laboratory assures the timely transportation of samples to appropriate reference laboratories at all times | Yes |
| M211 – Percent of 10 tests for infectious diseases that the state public health laboratory provides or assures, including but not limited to measles, mumps, and hepatitis C (Min=10, Max=100) | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 80.0% | 80.0% |

^{*} For an overview of the Index, methodology, and measure details, go to: https://nhspi.org



Above National Average Meets National Average Below National Average

| | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 |
|--|---------|--------------------|---------|---------|---------|---------|---------|---------|
| OVERALL INDEX VALUE (0-10) | 6.6 | 6.9 | 6.8 | 7.0 | 7.0 | 7.4 | 7.3 | 7.4 |
| | | | | | | | | |
| M216 – Percent of 15 to 21 tests for infectious diseases that the state public health laboratory | | | | | | | | |
| provides or assures including but not limited to dengue fever, legionella, malaria, and rabies | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| (Min=13.3, Max=100) | | | | | | | | |
| M2 – Percent of Laboratory Response Network biological (LRN-B) proficiency tests successfully passed | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 50.0% | 50.0% |
| by laboratories in the state (Min=0, Max=100) | 100.070 | 100.070 | 100.070 | 100.070 | 100.070 | 100.070 | 30.070 | 30.070 |
| M3 – Percent of e. coli-positive tests submitted by state and local public health laboratories to the | | | | | | | | |
| CDC PulseNet national database within four working days of receiving samples from clinical | | | | | | | | |
| laboratories (Min=0, Max=100) | | | | | | | | |
| M5 – Percent of chemical agents correctly identified and quantified during unannounced proficiency | | | | | | | | |
| testing during the state's Laboratory Response Network (LRN) Emergency Response Pop Proficiency | | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| Test (PopPT) Exercise (Min=33.3, Max=100) | | | | | | | | |
| M7 – Number of additional chemical agent detection methods—beyond the core | | | | | | | | |
| methods—demonstrated by Laboratory Response Network chemical (LRN-C) Level 1 or 2 laboratories | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| in the state (Min=0, Max=4) | | | | | | | | |
| M286 – Number of chemical threat and multi-hazards preparedness exercises the state public health | 0.0 | 0.0 | 4.0 | 4.0 | | 1.0 | 2.0 | 8.0 |
| laboratory conducts annually (Min=0, Max=34) | 0.0 | 0.0 | 1.0 | 1.0 | | 2.0 | 2.0 | 0.0 |
| M287 – Percent of listeria-positive tests submitted by state and local public health laboratories to the | | | | | | | | |
| CDC PulseNet national database within four working days of receiving samples from clinical | 100.0% | 0.0% | 0.0% | | 50.0% | | 0.0% | 0.0% |
| laboratories (Min=0, Max=100) | | | | | | | | |
| M288 – Number of core chemical agent detection methods demonstrated by Level 1 or 2 LRN-C | 1.0 | 0.0 | 3.0 | 5.0 | 9.0 | 9.0 | 9.0 | 9.0 |
| laboratories in the state (Min=0, Max=9) | | 0.0 | 3.3 | | | | | |
| M911 – State public health laboratory provides or assures testing for soil | No | | | No | No | No | No | No |
| M902 – State has a high-capability laboratory to detect chemical threats (Level 1 or 2 LRN-C | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| laboratory) | | | | | | | | |
| Domain 2: Community Planning & Engagement Coordination | 6.2 | 6.4 | 7.0 | 7.8 | 7.5 | 7.5 | 7.4 | 7.6 |
| Subdomain 2.1: Cross-Sector / Community Collaboration | 5.3 | 6.2 | 7.9 | 8.5 | 10.0 | 10.0 | 10.0 | 10.0 |
| M87 – State health department is accredited by the Public Health Accreditation Board | | | | Yes | Yes | Yes | Yes | Yes |
| M501 – Percent of the state's population served by a comprehensive public health system, as | | | | | | | | |
| determined through the National Longitudinal Survey of Public Health Systems (Min=7.9, Max=85.7) | 17.7% | 60.3% | 60.3% | 83.8% | 83.8% | 85.7% | 85.7% | 85.7% |
| | | | | | | | | |
| M9031 – Percent of hospitals in the state that participate in health care preparedness coalitions | 92.9% | 92.9% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| supported by ASPR and CDC (Min=0, Max=100) | 52.570 | 32.37 0 | 100.070 | 100.070 | 100.070 | 100.070 | 100.070 | 100.070 |

^{*} For an overview of the Index, methodology, and measure details, go to: https://nhspi.org



Above National Average Meets National Average Below National Average

| | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 |
|--|---------|---------|---------|------------|---------|---------|---------|---------|
| OVERALL INDEX VALUE (0-10) | 6.6 | 6.9 | 6.8 | 7.0 | 7.0 | 7.4 | 7.3 | 7.4 |
| | | | | | | | | |
| M9032 – Percent of emergency medical service agencies in the state that participate in health care | 7.7% | 7.7% | 100.0% | 15.4% | 100.0% | 100.0% | 100.0% | 100.0% |
| preparedness coalitions supported by ASPR and CDC (Min=0, Max=100) | 7.770 | 7.770 | 100.070 | 13.470 | 100.070 | 100.070 | 100.070 | 100.070 |
| M9033 – Percent of emergency management agencies in the state that participate in health care | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| preparedness coalitions supported by ASPR and CDC (Min=0, Max=100) | 100.070 | 100.070 | 100.070 | 100.070 | 100.070 | 100.070 | 100.070 | 100.070 |
| M9034 – Percent of local health departments in the state that participate in health care | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| preparedness coalitions supported by ASPR and CDC (Min=0, Max=100) | | | | | | | | |
| Subdomain 2.2: Children & Other At-Risk Populations | 7.9 | 7.8 | 8.2 | 8.7 | 7.9 | 7.8 | 8.0 | 7.8 |
| M163 – Number of pediatricians per 100,000 population under 18 years old in the state (Min=23.6, | 316.7 | 305.3 | 334.6 | 333.7 | 326.7 | 317.3 | 347.4 | 321.3 |
| Max=347.4) | 310.7 | 303.3 | 334.0 | 333.7 | 320.7 | 317.3 | 347.4 | 321.3 |
| M164 – Number of obstetricians and gynecologists per 100,000 female population in the state | 52.9 | 51.8 | 56.5 | 57.4 | 56.5 | 55.7 | 56.8 | 56.5 |
| (Min=12.1, Max=57.4) | 32.9 | 31.6 | 30.3 | 37.4 | 30.3 | 55.7 | 30.8 | 30.3 |
| M170 – Percent of state children (0-18 years) who reside within 50 miles of a pediatric trauma center, | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| including out-of-state centers (Min=16.2, Max=100) | 100.076 | 100.076 | 100.076 | 100.076 | 100.076 | 100.076 | 100.076 | 100.076 |
| M53B – Percent of youth who missed one or more days of school in past month due to concerns | 9.0% | 9.0% | 9.0% | 7.3% | 10.0% | 10.0% | 10.0% | 10.0% |
| about safety (reverse coded) (Min=3.4, Max=14.6) | 9.070 | 9.070 | 9.070 | 7.570 | 10.070 | 10.070 | 10.070 | 10.070 |
| Subdomain 2.3: Management of Volunteers during Emergencies | 6.0 | 6.6 | 6.6 | <i>7.5</i> | 3.6 | 3.8 | 3.8 | 3.8 |
| M266 – Percent of the state's population who live in a county with a Community Emergency | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| Response Team (CERT) (Min=18.1, Max=100) | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| M346 – Number of total Medical Reserve Corps members per 100,000 population in the state | 218.3 | 210.0 | 210.0 | 246.5 | 68.0 | 80.7 | 80.7 | 80.7 |
| (Min=1.7, Max=427.7) | 210.5 | 210.0 | 210.0 | 240.5 | 06.0 | 60.7 | 60.7 | 60.7 |
| M176 – Number of Medical Reserve Corps (MRC) members who are physicians per 100,000 | 24.4 | 23.5 | 23.5 | 32.6 | 12.1 | 13.4 | 13.4 | 13.4 |
| population in the state (Min=0, Max=32.6) | 24.4 | 23.3 | 23.3 | 32.0 | 12.1 | 13.4 | 13.4 | 13.4 |
| M179 – Number of Medical Reserve Corps (MRC) members who are nurses or advanced practice | 64.0 | 61.6 | 61.6 | 64.1 | 9.4 | 9.8 | 9.8 | 9.8 |
| nurses per 100,000 population in the state (Min=0.1, Max=86.9) | 04.0 | 01.0 | 01.0 | 04.1 | 9.4 | 9.0 | 9.0 | 9.0 |
| M186 – Number of Medical Reserve Corps (MRC) members who are other health professionals per | 129.9 | 125.0 | 125.0 | 149.8 | 46.5 | 57.5 | 57.5 | 57.5 |
| 100,000 population in the state (Min=0.5, Max=356.9) | 129.9 | 125.0 | 125.0 | 149.6 | 40.5 | 57.5 | 57.5 | 57.5 |
| Subdomain 2.4: Social Capital & Cohesion | 4.5 | 2.8 | 2.8 | 4.5 | 5.1 | 5.1 | 4.0 | 5.3 |
| M175 – Percent of voting-eligible population in the state participating in the highest office election | 62.3% | 35.3% | 35.3% | 60.4% | 60.4% | 60.4% | 42.5% | 63.7% |
| (Min=27.8, Max=79.6) | 02.3% | 35.3% | 35.3% | 00.4% | 00.4% | 00.4% | 42.5% | 03.7% |
| M188 – Percent of adults in the state who volunteer in their communities (Min=16.7, Max=51) | 32.3% | 30.3% | 31.0% | 31.5% | 39.8% | 39.8% | 39.8% | 39.8% |
| M189 – Number of annual volunteer hours per state resident, 15 years and older (Min=15.9, | 34.1 | 37.5 | 35.1 | 37.6 | 33.2 | 33.2 | 33.2 | 33.2 |
| Max=89.4) | 34.1 | 37.5 | - 33.1 | 37.0 | 33.2 | 33.2 | 33.2 | 33.2 |

^{*} For an overview of the Index, methodology, and measure details, go to: https://nhspi.org



| | Above National Average | Meets National Average | Below National Average |
|--|------------------------|------------------------|------------------------|
|--|------------------------|------------------------|------------------------|

| | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 |
|---|--------|--------|--------|--------|--------|--------|--------|--------|
| OVERALL INDEX VALUE (0-10) | 6.6 | 6.9 | 6.8 | 7.0 | 7.0 | 7.4 | 7.3 | 7.4 |
| | | | | | • | • | • | |
| Domain 3: Incident & Information Management | 8.1 | 8.3 | 8.2 | 8.4 | 8.3 | 8.5 | 7.9 | 7.9 |
| Subdomain 3.1: Incident Management | 7.6 | 7.6 | 7.2 | 7.6 | 7.2 | 7.5 | 5.1 | 5.1 |
| M84 – State all hazards emergency management program is accredited by the Emergency Management Accreditation Program (EMAP) | Yes |
| M107 – Percent of local health departments in the state with an emergency preparedness coordinator (Min=25, Max=100) | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| M701 – Average number of minutes for state health department staff with incident management lead roles to report for immediate emergency response duty (reverse coded) (Min=1, Max=780) | 30.0 | 5.0 | | 17.0 | | 52.0 | 780.0 | 780.0 |
| M344 – State has adopted the Nurse Licensure Compact (NLC) | No |
| Subdomain 3.2: Information Management | 3.3 | 4.2 | 4.5 | 5.2 | 5.3 | 5.5 | 5.7 | 5.8 |
| M228 – Percent of households in the state with broadband in the home (Min=56.7, Max=91.2) | 74.2% | 73.4% | 73.4% | 78.5% | 79.8% | 82.7% | 86.1% | 87.3% |
| M906 – Percent of hospitals in the state that have demonstrated meaningful use of certified electronic health record technology (CEHRT) (Min=61, Max=100) | 88.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| M907 – Percent of office-based medical doctors and doctors of osteopathy in the state that have demonstrated meaningful use of certified electronic health record technology (CEHRT) (Min=16, Max=93) | 27.0% | 37.0% | 47.0% | 56.0% | 56.0% | 56.0% | 56.0% | 56.0% |
| M1001 – State has implemented Enhanced 911 (E911) call centers | No |
| Domain 4: Health Care Delivery | 5.2 | 5.6 | 5.4 | 6.0 | 5.8 | 6.0 | 5.9 | 5.8 |
| Subdomain 4.1: Prehospital Care | 5.0 | 6.3 | 6.2 | 6.2 | 6.3 | 6.4 | 6.5 | 6.2 |
| M140 – Number of emergency medical technicians (EMTs) and paramedics per 100,000 population in the state (Min=32.8, Max=236.3) | | 190.7 | 184.6 | 185.8 | 210.4 | 224.8 | 236.3 | |
| M331 – Percent of local emergency medical services (EMS) agencies that submit National EMS Information System compliant data to the state (Min=0, Max=100) | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| M349 – State has adopted EMS Personnel Licensure Interstate CompAct (REPLICA) legislation | No |
| M350U – The average length of time in minutes between EMS notification and arrival at a fatal motor vehicle crash (MVC) in urban areas (reverse coded) (Min=1, Max=30) | 6.2 | 6.2 | 6.2 | 3.6 | 3.5 | 3.5 | 3.7 | 5.8 |
| M350R – The average length of time in minutes between EMS notification and arrival at a fatal motor vehicle crash (MVC) in rural areas (reverse coded) (Min=5, Max=30) | 12.0 | 12.0 | 12.0 | 12.5 | 13.0 | 13.0 | | |
| Subdomain 4.2: Hospital and Physician Services | 5.6 | 5.8 | 5.5 | 6.2 | 6.5 | 6.5 | 6.6 | 6.3 |
| M147 – Median time in minutes from hospital emergency department (ED) arrival to ED departure for patients admitted to hospitals in the state (reverse coded) (Min=125, Max=536) | 458.0 | 469.0 | 496.0 | 485.0 | 493.0 | 489.0 | 536.0 | 536.0 |

^{*} For an overview of the Index, methodology, and measure details, go to: https://nhspi.org



Above National Average Meets National Average Below National Average

| | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 |
|--|--------|--------|--------|--------|--------|--------|--------|--------|
| OVERALL INDEX VALUE (0-10) | 6.6 | 6.9 | 6.8 | 7.0 | 7.0 | 7.4 | 7.3 | 7.4 |
| | | | | | | | | |
| M148 – Median time in minutes from hospital admission decision to emergency department (ED) departure for patients admitted to hospitals in the state (reverse coded) (Min=18, Max=315) | 206.0 | 217.0 | 250.0 | 237.0 | 264.0 | 258.0 | 285.0 | 315.0 |
| M152 – Percent of the state's population who live within 50 miles of a trauma center, including out- of-state centers (Min=1.4, Max=100) | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| M160 – Number of physicians per 100,000 population in the state (Min=57.8, Max=178.5) | 175.6 | 165.2 | 166.3 | 177.2 | 174.3 | 178.2 | 178.5 | 167.2 |
| M167 – Number of active registered nurse (RN) and licensed practical nurse (LPN) licenses per 100,000 population in the state (Min=1115.1, Max=4253.8) | | | | 3822.5 | 4253.8 | 3609.1 | 4229.7 | 3777.1 |
| M168 – Percent of the state's population living within 100 miles of a burn center, including out-of-state centers (Min=1.7, Max=100) | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| M296 – Percent of hospitals in the state providing geriatric services (Min=11.1, Max=84.8) | 33.3% | 40.0% | 40.0% | 46.7% | 53.3% | 53.3% | 50.0% | 50.0% |
| M297 – Percent of hospitals in the state providing palliative care programs (Min=10.3, Max=66.2) | 46.7% | 46.7% | 40.0% | 40.0% | 40.0% | 53.3% | 50.0% | 50.0% |
| M298 – Number of hospital airborne infection isolation room beds per 100,000 population in the state, including beds within 50 miles from neighboring states (Min=5.6, Max=244.5) | 192.9 | 234.5 | 229.8 | 244.5 | 235.3 | 233.0 | 227.8 | 227.8 |
| M299 – Risk-adjusted 30-day survival rate (percent) among Medicare beneficiaries hospitalized in the state for heart attack, heart failure, or pneumonia (Min=11.9, Max=15.7) | 12.2% | 12.1% | 12.4% | 12.4% | 13.6% | 13.6% | 13.2% | 13.0% |
| M300 – Percent of hospitals in the state with a top quality ranking (Grade A) on the Hospital Safety Score (Min=0, Max=83.3) | | | | 0.0% | 0.0% | 0.0% | 20.0% | 20.0% |
| Subdomain 4.3: Long-Term Care | 3.7 | 3.9 | 4.4 | 6.8 | 7.0 | 5.4 | 5.3 | 4.8 |
| M308 – Average number of nurse (RN) staffing hours in nursing homes in the state—hours per resident per day (Min=0.3, Max=2.3) | | | | 1.3 | 1.5 | 1.4 | 1.4 | 1.6 |
| M309 – Average number of nursing assistant (CNA) staffing hours in nursing homes in the state—hours per resident per day (Min=2, Max=4.7) | | | | 2.9 | 2.9 | 2.7 | 2.7 | 2.7 |
| M307 – Percent of long-stay nursing home residents in the state given the seasonal influenza vaccine (Min=86.2, Max=98.3) | | | 93.0% | 95.5% | 95.9% | 95.6% | 95.2% | 95.1% |
| M310 – Average number of licensed practical nurse (LPN) staffing hours in nursing homes in the state—hours per resident per day (Min=0.3, Max=1.3) | | | | 0.9 | 0.8 | 0.8 | 0.7 | 0.7 |
| M303B – Number of nursing home deficiencies (evacuation plan deficiencies or emergency planning deficiencies) per 100 nursing homes in the state (1=Highest Quintile and 5=Lowest Quintile) (reverse coded) (Min=1, Max=5) | 5.0 | 5.0 | 5.0 | 1.0 | 1.0 | 5.0 | 5.0 | 5.0 |

^{*} For an overview of the Index, methodology, and measure details, go to: https://nhspi.org



Above National Average Meets National Average Below National Average

| | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 |
|--|--------|--------|--------|---------|---------|--------|----------|--------|
| OVERALL INDEX VALUE (0-10) | 6.6 | 6.9 | 6.8 | 7.0 | 7.0 | 7.4 | 7.3 | 7.4 |
| | | | | | | | | |
| M23NH – Number of disease outbreaks in nursing homes or assisted living facilities per 10,000 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| certified nursing home residents in a state (reverse coded) (Min=0, Max=100.9) | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| M880 – Percentage of nursing home residents at facilities that did not have an infection control | 43.2% | 43.2% | 43.2% | 43.2% | 43.2% | 66.1% | 66.1% | 30.9% |
| deficiency (Min=8.3, Max=96.2) | 43.270 | 45.270 | 43.270 | 73.270 | 75.270 | 00.170 | 00.170 | 30.570 |
| Subdomain 4.4: Mental & Behavioral Health Care | 6.3 | 6.0 | 5.7 | 5.7 | 3.7 | 5.0 | 4.8 | 4.8 |
| M316 – Percent of hospitals in the state providing psychiatric emergency services (Min=6.3, Max=71) | 53.3% | 53.3% | 46.7% | 33.3% | 26.7% | 53.3% | 50.0% | 50.0% |
| M317 – Percent of need met for mental health care in health professional shortage areas (HPSA) in the state (Min=3.7, Max=100) | | | | 49.3% | 5.3% | 5.3% | 5.3% | 5.3% |
| M800 – Percent of the state's population not living in a HRSA Mental Health Professional Shortage | | | | | | | | |
| Area (Min=0, Max=100) | 80.0% | 80.0% | 80.0% | 80.0% | 77.7% | 77.7% | 77.7% | 77.7% |
| Subdomain 4.5: Home Care | 3.4 | 4.2 | 3.3 | 4.3 | 5.2 | 5.5 | 5.2 | 6.2 |
| M291 – Percent of home health visits in the state where the home health team determined whether | | | | | | | | |
| their patient received a flu shot (Min=60, Max=87.3) | 71.0% | 70.0% | 64.0% | 70.8% | 75.5% | 79.3% | 80.4% | 81.8% |
| M292 – Percent of home health visits in the state where the home health team began their patients' | 02.00/ | 00.00/ | 00.40/ | 07.70/ | 00.20/ | 00 70/ | 07.40/ | 02.40/ |
| care in a timely manner (Min=76, Max=98.8) | 83.0% | 88.0% | 88.1% | 87.7% | 90.3% | 89.7% | 87.4% | 92.4% |
| M293 – Number of home health and personal care aides per 1,000 population in the state aged 65 or | 22.6 | 25.4 | 22.6 | 27.1 | 22.2 | 21.2 | 20.6 | 20.0 |
| older (Min=12.7, Max=80.1) | 32.6 | 35.4 | 33.6 | 37.1 | 33.2 | 31.3 | 30.6 | 29.9 |
| Domain 5: Countermeasure Management | 6.8 | 7.4 | 5.9 | 5.5 | 5.8 | 6.7 | 7.3 | 7.3 |
| Subdomain 5.1: Medical Materiel Management, Distribution, & Dispensing | 6.9 | 8.2 | 5.6 | 4.6 | 5.2 | 6.5 | 7.6 | 7.0 |
| M161 – Number of Pharmacists per 100,000 population in the state (Min=57, Max=158) | 125.9 | 150.7 | 113.5 | 102.6 | 116.9 | 135.5 | 152.3 | 141.7 |
| M270 – Percent of hospitals in the state participating in a group purchasing arrangement (Min=0, | 66.7% | 66.7% | 53.3% | 46.7% | 40.0% | 46.7% | 50.0% | 50.0% |
| Max=96.8) | 00.7% | 00.77 | 33.3% | 40.7% | 40.0% | 40.7% | 50.0% | 30.0% |
| Subdomain 5.2: Countermeasure Utilization & Effectiveness | 5.2 | 5.1 | 4.6 | 4.7 | 5.0 | 5.4 | 5.6 | 6.6 |
| M24 – Percent of children ages 19-35 months in the state receiving recommended routine childhood | 73.4% | 76.9% | 71.1% | 76.3% | 68.2% | 74.0% | 72.2% | 73.7% |
| vaccinations (Min=57.1, Max=85.3) | 73.4% | 70.9% | /1.1/0 | 70.5% | 00.270 | 74.0% | / 2.2/0 | /3.//0 |
| M32 – Percent of seniors age 65 and older in the state receiving a seasonal flu vaccination | 63.6% | 61.0% | 59.1% | 56.2% | 65.0% | | | 68.5% |
| (Min=45.1, Max=78.9) | 03.070 | 01.070 | 33.170 | 30.270 | -03.070 | | | 00.570 |
| M33 – Percent of seniors age 65 and older in the state receiving a pneumococcal vaccination | 64.0% | 64.4% | 65.9% | 63.6% | 64.4% | 69.2% | 71.0% | 70.5% |
| (Min=60.5, Max=81.9) | 01.070 | 04.470 | 03.370 | 03.070 | 04.470 | 05.270 | 7 1.070 | 70.570 |
| M34 – Percent of children aged 6 months to 4 years old in the state receiving a seasonal flu | 85.9% | 77.7% | 77.5% | 76.9% | 83.8% | 77.4% | 78.9% | 85.4% |
| vaccination (Min=43.9, Max=92.7) | 00.070 | 7,1,70 | 77.570 | 7 0.070 | 00.070 | , 0 | , 0.0, 0 | 33,0 |

^{*} For an overview of the Index, methodology, and measure details, go to: https://nhspi.org



Above National Average Meets National Average Below National Average

| | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 |
|---|--------|--------|--------|---------|--------|--------|--------|--------|
| OVERALL INDEX VALUE (0-10) | 6.6 | 6.9 | 6.8 | 7.0 | 7.0 | 7.4 | 7.3 | 7.4 |
| | | | | | | | | |
| M35 – Percent of adults aged 18 years and older in the state receiving a seasonal flu vaccination | 42.4% | 43.4% | 42.4% | 43.3% | 43.3% | | | 49.3% |
| (Min=29.2, Max=58.1) | 42.470 | 45.4% | 42.4/0 | 45.5% | 43.5% | | | 49.5% |
| Domain 6: Environmental & Occupational Health | 6.1 | 6.2 | 6.7 | 5.7 | 5.5 | 6.0 | 6.8 | 6.9 |
| Subdomain 6.1: Food & Water Security | 6.1 | 6.5 | 7.2 | 6.5 | 6.2 | 5.5 | 6.0 | 6.0 |
| M275_DW – State public health laboratory provides or assures testing for drinking water | Yes | Yes | Yes | No | No | No | Yes | Yes |
| M275_PWW – State public health laboratory provides or assures testing for private well water | Yes | Yes | Yes | No | No | No | No | No |
| M275_REC – State public health laboratory provides or assures testing for recreational water | Yes | Yes | Yes | No | No | No | No | No |
| M275_SUR – State public health laboratory provides or assures testing for surface water | No | No | No | No | No | No | Yes | Yes |
| M275_WST – State public health laboratory provides or assures testing for waste water | No | No | No | No | No | No | No | No |
| M276 – Percent of 16 tests for different organisms or toxins that the state public health laboratory | | | | | | | | |
| provides or assures to assist with foodborne disease outbreak investigations, including but not limited | 75.0% | 75.0% | 75.0% | 68.8% | 68.8% | 68.8% | 100.0% | 100.0% |
| to listeria and salmonella (Min=0, Max=100) | | | | | | | | |
| M195 – Percentage of community water systems in a state that meet all applicable health-based | 40.00/ | CO 00/ | 00.00/ | 100.00/ | 00.00/ | CO 00/ | FO 00/ | FO 00/ |
| standards (Min=40, Max=100) | 40.0% | 60.0% | 80.0% | 100.0% | 80.0% | 60.0% | 50.0% | 50.0% |
| M925 – Percentage of community water systems in a state that meet all applicable non-health-based | 00.00/ | CO 00/ | 60.0% | 60.0% | 80.0% | 80.0% | FO 00/ | FO 00/ |
| standards (Min=15.4, Max=98.3) | 80.0% | 60.0% | 60.0% | 60.0% | 80.0% | 80.0% | 50.0% | 50.0% |
| M23PC – Number of foodborne illness outbreaks reported to CDC by state and local public health | | | | | | | | |
| departments for which a causative infectious agent is confirmed (per 1 million population) (reverse | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| coded) (Min=0, Max=977.2) | | | | | | | | |
| Subdomain 6.2: Environmental Monitoring | 7.6 | 7.1 | 7.2 | 3.1 | 3.0 | 2.9 | 5.5 | 5.6 |
| M202 – State public health laboratory provides or assures testing for air samples | Yes | Yes | Yes | No | No | No | No | No |
| M257_AIHA – State public health laboratory is certified or accredited by the American Industrial | No | Nie | Nia | No | Na | No | No | No |
| Hygiene Association (AIHA) | NO | No | No | NO | No | NO | No | NO |
| M257_EPA – State public health laboratory is certified or accredited by the Environmental Protection | Vas | Nia | Nia | Nie | Na | No | Nie | No |
| Agency (EPA) | Yes | No | No | No | No | No | No | No |
| M257_NELAC – State public health laboratory is certified or accredited by the National Environmental | Na | No | Nie | Na | No | No | No | No |
| Laboratory Accreditation Conference (NELAC) | No | No | No | No | No | No | No | No |
| M272 – Percent of 10 tests for different contaminants in environmental samples that the state public | | | | | | | | |
| health laboratory provides or assures, including but not limited to asbestos, lead, and radon (Min=0, | 40.0% | 40.0% | 40.0% | 0.0% | 0.0% | 0.0% | 40.0% | 40.0% |
| Max=100) | | | | | | | | |
| M273 – State public health laboratory provides or assures testing for hazardous waste | Yes | Yes | Yes | No | No | No | Yes | Yes |

^{*} For an overview of the Index, methodology, and measure details, go to: https://nhspi.org



| | Above National Average | Meets National Average | Below National Average |
|--|------------------------|------------------------|------------------------|
|--|------------------------|------------------------|------------------------|

| | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 |
|--|--------|--------|--------|--------|--------|-------|-------|-------|
| OVERALL INDEX VALUE (0-10) | 6.6 | 6.9 | 6.8 | 7.0 | 7.0 | 7.4 | 7.3 | 7.4 |
| | | | | | | | | |
| M904 – Number of environmental scientists and specialists per 100,000 population in the state (Min=4, Max=253.6) | 206.1 | 220.0 | 237.6 | 233.4 | 203.1 | 201.7 | 227.8 | 253.6 |
| M23A – Number of disease outbreaks in a state due to animal contact per 1 million population (reverse coded) (Min=0, Max=5.2) | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Subdomain 6.3: Physical Environment and Infrastructure | 3.7 | 4.2 | 4.4 | 4.5 | 4.5 | 7.0 | 7.4 | 7.5 |
| M922 – Transportation Structural Integrity, percent of bridges that are in good or fair condition (not poor) (Min=75.1, Max=98.8) | 87.4% | 91.7% | 94.5% | 96.1% | 96.3% | 96.7% | 96.7% | 95.9% |
| M923 – Surface Water Control Structural Integrity, percent of High-Hazard Potential Dams that are in Fair or Satisfactory condition (Min=2, Max=100) | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | | | |
| M928 – Housing Mitigation for Flood Hazards, population living in a community participating in the FEMA Community Rating System (communities with a CRS of 1 through 9) as a percent of all communities participating in the National Flood Insurance Program (Min=0, Max=100) | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | | | |
| M929 – Flood Insurance Coverage, FEMA National Flood Insurance Policies (NFIP) in-force as a percentage of total housing units located in 100- and 500-year floodplains (Min=1.8, Max=100) | 28.4% | 32.7% | 29.2% | 26.0% | 26.7% | 27.4% | 27.4% | 27.4% |
| M334 – State has a climate change adaptation plan | No | No | No | No | No | Yes | Yes | Yes |
| Subdomain 6.4: Workforce Resiliency | 4.8 | 5.0 | 6.2 | 6.8 | 6.7 | 7.9 | 7.5 | 7.8 |
| M530 – Percent of employed population in the state with some type of paid time off (PTO) benefit (Min=41.8, Max=69.9) | 61.4% | 64.5% | 65.3% | 62.7% | 61.9% | 64.6% | 64.8% | 60.0% |
| M531 – Percent of employed population in the state engaging in some work from home by telecommuting (Min=3.7, Max=53.6) | 16.7% | 15.5% | 29.2% | 38.0% | 38.0% | 43.9% | 43.9% | 53.6% |
| M705 – Percent of employed population in the state who work from home (Min=1.9, Max=9.1) | 4.6% | 4.4% | 5.0% | 6.0% | 6.0% | 7.4% | 6.1% | 7.4% |

^{*} For an overview of the Index, methodology, and measure details, go to: https://nhspi.org



About the Index

The National Health Security Preparedness Index is a program of the Robert Wood Johnson Foundation. The Program Office for the Index is based at the Colorado School of Public Health and staffed through a collaboration between the Department of Health Systems, Management and Policy, Colorado School of Public Health, Anschutz Medical Campus, and the Center for Business and Economic Research, Gatton College of Business and Economics, University of Kentucky. The Program Office is directed by Glen P. Mays, Ph.D., Professor and Chair, Department of Health Systems, Management and Policy, at the Colorado School of Public Health.

Additional Resources

Report of Key Findings:

https://nhspi.org/wp-content/uploads/2021/NHSPI_2021_Key_Findings.pdf List of Measures:

https://nhspi.org/wp-content/uploads/2021/NHSPI_2021_Measures.pdf Index Methodology:

https://nhspi.org/wp-content/uploads/2021/NHSPI_2021_Methodology.pdf Summary of Key Index Changes:

https://nhspi.org/wp-content/uploads/2021/NHSPI_2021_Key_Changes.pdf Index Data Explorer Tool:

https://nhspi.org/wp-content/uploads/2021/NHSPI_2021_Data_Download.pdf Innovator's Guide to Index Use:

https://nhspi.org/wp-content/uploads/2017/05/Innovators-Guide 24Apr2018.pdf

Report Authors:

Glen P. Mays, Ph.D., MPH; Michael T. Childress, M.A.; Bethany L. Paris, Ph.D., MPA.

Program Consultant:

Pierre Martin Dominique Zephyr, M.S.

Recommended Citation:

Colorado School of Public Health, Department of Health Systems, Management and Policy. National Health Security Preparedness Index 2021 Release Summary of Key Findings. Boulder, CO: University of Colorado; July 2021.

For More Information:

National Health Security Preparedness Index Program Office Department of Health Systems, Management and Policy Colorado School of Public Health | Anschutz Medical Campus 13001 E. 17th Place, Mail Stop B119 Aurora, CO 80045

Email: glen.mays@cuanschutz.edu

Web: www.nhspi.org



UNIVERSITY OF COLORADO
COLORADO STATE UNIVERSITY
UNIVERSITY OF NORTHERN COLORADO